



Manufacturers of Dynamic® and Adjusto Spede® Products

7900 Durand Avenue, P.O. Box 0361  
Sturtevant, Wisconsin, U.S.A. 53177  
Tel.: 262.554.7977 Fax: 262.554.7041  
Toll Free: 1.800.548.2169  
E-mail: [sales@drivesourceusa.com](mailto:sales@drivesourceusa.com)  
Website: [www.drivesourceusa.com](http://www.drivesourceusa.com)

---

## Numerical Parts List

---

**By Model Number**



Manufacturers of Dynamic® and Adjusto Spede® Products

7900 Durand Avenue, P.O. Box 0361  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

**MODEL 302**

Part No.	Description
FC-302055	Brake, Primary Field, Spline Drive, Outside Mounted
FC-302061	Brake, Replaceable Face, Spline, Outside Mounted
FC-302157	Clutch-Coupling, SF, Flange, Spline Drive
FC-302158	Clutch-Coupling, SF, Bearing, Spline Drive
	Field Magnet Assembly (SF Flg. & RF)
302321	6 volts
302323	24 volts
302324	90 volts
	Bearing Mounted Field Magnet Assembly
302331	6 volts
302333	24 volts
302334	90 volts
	Field Magnet Assembly (PF)
302351	6 volts
302353	24 volts
302354	90 volts
302390-2	Armature Plate (PF)
302391	Armature Plate (SF & RF)
	Armature Hub Assembly
302451-1	.250/.251 bore
302451-2	.312/.313 bore
302451-3	.375/.376 bore
	Rotor Assembly, Flange Mounted (SF)
302526-1	.250/.251 bore
302526-3	.375/.376 bore
	Rotor Assembly (SF Brg.)
302556-1	.250/.251 bore
302556-3	.375/.376 bore
302561-2	Replaceable Face Assembly
	Bearing Mounted Rotor & Field Magnet Assembly
302771-1	6 volts, .250/.251 bore
302771-3	6 volts, .375/.376 bore
302773-1	24 volts, .250/.251 bore
302773-3	24 volts, .375/.376 bore
302774-1	90 volts, .250/.251 bore
302774-3	90 volts, .375/.376 bore

**MODEL 303**

Part No.	Description
FC-303055	Brake, Primary Field, Spline, Outside Mounted
FC-303061	Brake, Replaceable Face, Spline, Outside Mounted
FC-303157	Clutch-Coupling, SF, Flange, Spline Drive
FC-303158	Clutch-Coupling, SF, Bearing, Spline Drive
FC-303159	Clutch, SF, Flange, Spline, Extended Hub
FC-303160	Clutch, SF, Bearing, Spline, Extended Hub
	Clutch-Brake Package, SF, Bearing, Spline
FC-303180-0003	6 volts, .500/.501 shaft diameter
FC-303180-0005	24 volts, .500/.501 shaft diameter
FC-303180-0006	90 volts, .500/.501 shaft diameter
	Field Magnet Assembly (SF Flg. & RF)
303321	6 volts
303323	24 volts
303324	90 volts

**MODEL 303**

Part No.	Description
	Field Magnet Assembly (SF Brg.)
303331	6 volts
303333	24 volts
303334	90 volts
	Field Magnet Assembly (Brake) (PF)
303351	6 volts
303353	24 volts
303354	90 volts
303390-2	Armature Plate (PF)
303391	Armature Plate (SF & RF)
303396-2	Armature Plate Assembly (PF, SF & RF)
303396-3	Armature Plate Assembly (PF)
	Armature Hub Assembly
303451-1	.375/.376 bore
303451-3	.500/.501 bore
303451-5	.625/.626 bore
303453-8	.750/.751 bore
	Rotor Assembly, Flange Mounted (SF)
303526-1	.375/.376 bore
303526-3	.500/.501 bore
303526-4	.625/.626 bore
	Rotor Assembly (SF Brg.)
303556-1	.375/.376 bore
303556-3	.500/.501 bore
303561-11	Replaceable Face Assembly
	Bearing Mounted Rotor & Field Magnet Assembly
303771-1	6 volts, .375/.376 bore
303771-3	6 volts, .500/.501 bore
303773-1	24 volts, .375/.376 bore
303773-3	24 volts, .500/.501 bore
303774-1	90 volts, .375/.376 bore
303774-3	90 volts, .500/.501 bore

**MODEL 304**

Part No.	Description
FC-304055	Brake, Primary Field, Spline, Outside Mounted
FC-304061	Brake, Replaceable Face, Spline, Outside Mounted
	Shaft Mounted Brake, SF, Brg, Spline, Repl. Face
FC-304090-0002	6 volts, .625/.626 bore
FC-304090-0003	6 volts, .750/.751 bore
FC-304090-0004	6 volts, .875/.876 bore
FC-304090-0010	24 volts, .625/.626 bore
FC-304090-0011	24 volts, .750/.751 bore
FC-304090-0012	24 volts, .875/.876 bore
FC-304090-0014	90 volts, .625/.626 bore
FC-304090-0015	90 volts, .750/.751 bore
FC-304090-0016	90 volts, .875/.876 bore
	Sheave Clutch, SF, Bearing, Spline Drive
FC-304140-0002	6 volts, .625/.626 bore
FC-304140-0003	6 volts, .750/.751 bore
FC-304140-0004	6 volts, .875/.876 bore
FC-304140-0010	24 volts, .625/.626 bore
FC-304140-0011	24 volts, .750/.751 bore
FC-304140-0012	24 volts, .875/.876 bore
FC-304140-0014	90 volts, .625/.626 bore
FC-304140-0015	90 volts, .750/.751 bore
FC-304140-0016	90 volts, .875/.876 bore



Manufacturers of Dynamic® and Adjusto Spede® Products

7900 Durand Avenue, P.O. Box 0361  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

**MODEL 304**

Part No.	Description
FC-304157	Clutch-Coupling, SF, Flange, Spline Drive
FC-304158	Clutch-Coupling, SF, Bearing, Spline Drive
FC-304159	Clutch, SF, Flange, Spline, Extended Hub
FC-304160	Clutch, SF, Brg, Spline, Extended Hub
FC-304180-0002	Clutch-Brake Package, SF, Bearing, Spline, Double Shaft
FC-304180-0004	6 volts, 5/8" shaft dia., 56C frame
FC-304180-0005	24 volts, 5/8" shaft dia., 56C frame
FC-304180-0007	90 volts, 5/8" shaft dia., 56C frame
FC-304180-0009	6 volts, 7/8" shaft dia., 143TC & 145TC frames
FC-304180-0010	24 volts, 7/8" shaft dia., 143TC & 145TC frames
FC-304180-0012	90 volts, 7/8" shaft dia., 143TC & 145TC frames
FC-304180-0014	6 volts, 3/4" shaft dia.
FC-304180-0015	24 volts, 3/4" shaft dia.
FC-304190-0002	90 volts, 3/4" shaft dia.
FC-304190-0004	Clutch-Brake Package, SF, Bearing, Spline, Single Shaft
FC-304190-0005	6 volts, 5/8" output shaft dia. & input rotor bore, 56C frame
FC-304190-0007	24 volts, 5/8" output shaft dia. & input rotor bore, 56C frame
FC-304190-0009	90 volts, 5/8" output shaft dia. & input rotor bore, 56C frame
FC-304190-0010	6 volts, 7/8" output shaft dia. & input rotor bore, 143TC & 145TC frames
FC-304190-0012	24 volts, 7/8" output shaft dia. & input rotor bore, 143TC & 145TC frames
FC-304190-0014	90 volts, 7/8" output shaft dia. & input rotor bore, 143TC & 145TC frames
FC-304190-0015	6 volts, 3/4" output shaft dia., 5/8" input rotor bore
FC-304190-0017	24 volts, 3/4" output shaft dia., 5/8" input rotor bore
FC-304190-0019	90 volts, 3/4" output shaft dia., 5/8" input rotor bore
FC-304190-0020	6 volts, 3/4" output shaft dia., 7/8" input rotor bore
FC-304190-0021	24 volts, 3/4" output shaft dia., 7/8" input rotor bore
FC-304190-0022	90 volts, 3/4" output shaft dia., 7/8" input rotor bore
304321	Field Magnet Assembly (SF Flange & RF)
304323	6 volts
304324	24 volts
304331	90 volts
304333	Field Magnet Assembly (SF Brg.)
304334	6 volts
304333-2	24 volts
304334-2	90 volts
304331-2	Field Magnet Assembly (Shaft Mounted Brake)
304333-2	6 volts
304334-2	24 volts
304351	90 volts
304353	Field Magnet Assembly (Brake) (PF)
304354	6 volts
304390-11	24 volts
304396-6	90 volts
304396-8	Armature Plate (SF, PF & RF)
304396-9	Armature Plate (SF, PF & RF)
304451-1	Armature Plate (SF, PF & RF)
304451-3	Armature Plate w/Fan (C-B Package)
304453-5	Armature Hub Assembly
	.500/.501 bore
	.625/.626 bore (C-B Package)
	.750/.751 bore

**MODEL 304**

Part No.	Description
304455-2	Splined Sleeve (Shaft Mounted Brake)
304455-3	.625/.626 bore
304455-4	.750/.751 bore
304455-5	.875/.876 bore
304459-6	Extended Armature Hub
304459-7	.500/.501 bore
304459-8	.625/.626 bore
304462-8	.750/.751 bore
304465-4	Hub & Flange Assembly
304465-5	Armature Hub Assembly
304526-1	.875/.876 bore
304526-3	1.000/1.001 bore
304526-5	Flange Mounted Rotor Assembly (SF)
304526-6	.500/.501 bore
304526-7	.625/.626 bore
304555-1	.750/.751 bore
304555-3	.875/.876 bore
304555-5	1.000/1.001 bore
304555-6	Rotor Assembly (SF Brg.)
304555-8	.500/.501 bore
304561-4	.625/.626 bore
304561-5	.750/.751 bore
304756-2	.875/.876 bore
304756-3	Drive Sleeve (Sheave Clutch)
304756-4	.625/.626 bore
304771-1	.750/.751 bore
304771-3	.875/.876 bore
304771-5	Bearing Mounted Rotor & Field Magnet Assembly
304771-6	6 volts, .500/.501 bore
304773-1	6 volts, .625/.626 bore
304773-3	6 volts, .750/.751 bore
304773-5	6 volts, .875/.876 bore
304773-6	24 volts, .500/.501 bore
304774-1	24 volts, .625/.626 bore
304774-3	24 volts, .750/.751 bore
304774-5	24 volts, .875/.876 bore
304774-6	90 volts, .500/.501 bore
	90 volts, .625/.626 bore
	90 volts, .750/.751 bore
	90 volts, .875/.876 bore

**MODEL 305**

Part No.	Description
FC-305010	Clutch, Primary Field Pin Drive
FC-305012	Clutch-Coupling, Primary Field, Pin Drive
FC-305013	Clutch-Coupling, Primary Field, Spline Drive
FC-305016	Clutch-Brake-Coupling, PF, Pin, Inside Mtd.
FC-305017	Clutch-Brake-Coupling, PF, Pin, Outside Mtd.
FC-305050	Brake, Primary Field, Pin Drive, Inside Mtd.
FC-305051	Brake, Primary Field, Pin Drive, Outside Mtd.
FC-305054	Brake, Primary Field, Spline Drive, Inside Mtd.



7900 Durand Avenue, P.O. Box 0361,  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

**MODEL 305**

Part No.	Description
FC-305055	Brake, Primary Field, Spline Drive, Outside Mtd.
FC-305062	Motor Brake, Primary Field, Pin Drive
FC-305152	Clutch, Stationary Field, Bearing, Pin Drive
FC-305155	Clutch-Coupling, SF, Bearing, Pin Drive
FC-305158	Clutch-Coupling, SF, Bearing, Spline Drive
FC-305166	Clutch-Brake-Coupling, SF, Brg., Pin, IM
FC-305167	Clutch-Brake-Coupling, SF, Brg., Pin, OM
FC-305180-0001	Clutch-Brake Package, SF, Bearing, Spline Drive, Double Shaft
FC-305180-0004	6 volts, 1-1/8" shaft dia., 182TC & 184TC frames 90 volts, 1-1/8" shaft dia., 182TC & 184TC frames
FC-305181-0001	Clutch-Brake Package, SF, Bearing, Pin Drive, Double shaft
FC-305181-0004	6 volts, 1-1/8" shaft dia., 182TC & 184TC frames 90 volts, 1-1/8" shaft dia., 182TC & 184TC frames
FC-305190-0001	Clutch-Brake Package, SF, bearing, Spline Drive, Single Shaft
FC-305190-0004	6 volts, 1-1/8" output shaft dia. & input rotor bore, 182TC & 184TC frames 90 volts, 1-1/8" output shaft dia. & input rotor bore, 182TC & 184TC frames
FC-305191-0001	Clutch-Brake Package, SF, Bearing, Pin Drive, Single Shaft
FC-305191-0004	6 volts, 1-1/8" output shaft dia. & input rotor bore, 182TC & 184TC frames 90 volts, 1-1/8" output shaft dia. & Input rotor bore, 182TC & 184TC frames
305331	Field Magnet Assembly (SF Brg.)
305334	6 volts 90 volts
305341	Field Magnet Assembly (IM, PF)
305344	6 volts, inside mounted 90 volts, inside mounted
305351	Field Magnet Assembly (Brake) (OM, PF)
305354	6 volts, outside mounted 90 volts, outside mounted
305381	Armature Plate Assembly (Pin Drive)
305396-1	Armature Plate Assembly (Spline Drive)
305450	Armature Hub Assembly (Pin Drive)
305450-2	Armature Hub Assembly (MB Pin Drive)
305453-1	Armature Hub Assembly (Spline Drive)
305453-2	.750/.751 bore
305453-3	.875/.876 bore
305453-4	1.000/1.001 bore
305453-5	1.125/1.126 bore
305453-5	1.250/1.251 bore
305461-1	Slip Ring & Hub Assembly
305556-1	Rotor Assembly (SF Brg.)
305556-2	.750/.751 bore
305556-4	.875/.876 bore
305556-2	1.000/1.001 bore
305556-5	1.125/1.126 bore
305556-6	1.250/1.251 bore

**MODEL 305**

Part No.	Description
305771-1	Bearing Mounted Rotor & Field Magnet Assembly
305771-2	6 volts, .750/.751 bore
305771-4	6 volts, .875/.876 bore
305771-5	6 volts, 1.000/1.001 bore
305771-6	6 volts, 1.125/1.126 bore
305771-6	6 volts, 1.250/1.251 bore
305774-1	90 volts, .750/.751 bore
305774-2	90 volts, .875/.876 bore
305774-4	90 volts, 1.000/1.001 bore
305774-5	90 volts, 1.125/1.126 bore
305774-6	90 volts, 1.250/1.251 bore
305780-1	Mounting Adapter (MB)
305793-1	Brake Cover (MB)

**MODEL 306**

Part No.	Description
FC-306140-0001	Sheave Clutch, SF, Bearing, Spline Drive
FC-306140-0002	6 volts, .750/.751 bore
FC-306140-0003	6 volts, .875/.876 bore
FC-306140-0004	6 volts, 1.000/1.001 bore
FC-306140-0013	6 volts, 1.125/1.126 bore
FC-306140-0014	90 volts, .750/.751 bore
FC-306140-0015	90 volts, .875/.876 bore
FC-306140-0016	90 volts, 1.000/1.001 bore
FC-306140-0016	90 volts, 1.125/1.126 bore
FC-306152	Clutch, Stationary Field, Bearing, Pin Drive
FC-306155	Clutch-Coupling, SF, Bearing, Pin Drive
FC-306158	Clutch-Coupling, SF, Bearing, Spline Drive
306381	Armature Plate Assembly (Pin Drive)
306382-2	Armature Plate Assembly (Spline Drive)
306680	Armature Hub (Spline Drive)
306681	Armature Hub (Sheave Clutch)
306731	Field Magnet Assembly (SF Brg. & Fig.)
306734	6 volts 90 volts
306731-2	Field Magnet Assembly (SF Brg. Sheave Clutch)
306734-2	6 volts 90 volts
306751	Rotor Hub (SF Brg.)
306751-1	.750/.751 bore
306751-2	.875/.876 bore 1.000/1.001 bore
306761-1	Bearing Mounted Rotor & Field Magnet Assembly (SF Fig.)
306761-2	6 volts, .750/.751 bore
306761-3	6 volts, .875/.876 bore
306761-3	6 volts, 1.000/1.001 bore
306764-1	90 volts, .750/.751 bore
306764-2	90 volts, .875/.876 bore
306764-3	90 volts, 1.000/1.001 bore
306821	Drive Sleeve (SF Brg. Sheave Clutch)
306821-1	.750/.751 bore
306821-2	.875/.876 bore
306821-3	1.000/1.001 bore
306821-3	1.125/1.126 bore



7900 Durand Avenue, P.O. Box 0361,  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

**MODEL 306**

Part No.	Description
306822	End Cover (Sheave Clutch)
306823	Rotor Assembly w/Accessories (SF Brg.)
	Locknut (Sheave Clutch)
306826	.750/.751 & .875/.876 bores
306827	1.000/1.001 & 1.125/1.126 bores

**MODEL 308**

Part No.	Description
FC-308010	Clutch, Primary Field, Pin Drive
FC-308012	Clutch-Coupling, Primary Field, Pin Drive
FC-308013	Clutch-Coupling, Primary Field, Spline Drive
FC-308016	Clutch-Brake-Coupling, PF, Pin, Inside Mounted
FC-308017	Clutch-Brake-Coupling, PF, Pin, Outside Mounted
FC-308050	Brake, Primary Field, Pin Drive, Inside Mounted
FC-308051	Brake, Primary Field, Pin Drive, Outside Mounted
FC-308054	Brake, Primary Field, Spline Drive, Inside Mounted
FC-308055	Brake, Primary Field, Spline Drive, Outside Mounted
FC-308062	Motor Brake, Primary Field, Pin Drive
	Sheave Clutch, SF, Brg., Spline Drive
FC-308140-0001	6 volts, 1.125/1.126 bore
FC-308140-0002	6 volts, 1.250/1.251 bore
FC-308140-0003	6 volts, 1.375/1.376 bore
FC-308140-0010	90 volts, 1.125/1.126 bore
FC-308140-0011	90 volts, 1.250/1.251 bore
FC-308140-0012	90 volts, 1.375/1.376 bore
FC-308151	Clutch, Stationary Field, Flange, Pin Drive
FC-308152	Clutch, Stationary Field, Bearing, Pin Drive
FC-308154	Clutch-Coupling, SF, Flange, Pin Drive
FC-308155	Clutch-Coupling, SF, Bearing, Pin Drive
FC-308157	Clutch-Coupling, SF, Flange, Spline Drive
FC-308158	Clutch-Coupling, SF, Bearing, Spline Drive
FC-308166	Clutch-Brake-Coupling, SF, Bearing, Pin, IM
FC-308167	Clutch-Brake-Coupling, SF, Bearing, Pin, OM
FC-308180-0001	Clutch-Brake Package, SF, Flange, Spline Drive
FC-308180-0004	6 volts, 1.3750/1.3745 shaft diameter 90 volts, 1.3750/1.3745 shaft diameter
FC-308183-0001	Clutch-Brake Package, PF, Pin Drive
FC-308183-0004	6 volts, 1.3750/1.3745 shaft diameter 90 volts, 1.3750/1.3745 shaft diameter
	Field Magnet Assembly (PF)
308371	6 volts
308374	90 volts
308380	Armature Plate Assembly (Pin Drive)
308382-4	Armature Plate Assembly (Spline Drive)
308450	Armature Hub (Pin Drive)
	Slip Ring & Hub Assembly
308461	Right hand
308471	Left hand
	Mounting Plate w/Accessories
308481	Inside mounted
308491	Outside mounted
308680	Armature Hub (Spline Drive)
308682	Armature Hub (Sheave Clutch)
308682-1	Sheave Mount (Sheave Clutch)

**MODEL 308**

Part No.	Description
	Field Magnet Assembly (SF Fig.)
308721-1	6 volts
308724-1	90 volts
	Field Magnet Assembly (SF Brg.)
308731	6 volts
308734	90 volts
	Field Magnet Assembly (SF Brg. Sheave Clutch)
308731-2	6 volts
308734-2	90 volts
308750	Rotor Hub (SF Fig.)
	Rotor Hub (SF Brg.)
308751	1.126/1.128 bore
308751-1	1.251/1.253 bore
308751-2	1.376/1.378 bore
308751-3	1.501/1.503 bore
308751-4	1.626/1.628 bore
	Bearing Mounted Rotor & Field Magnet Assembly
308761-1	6 volts, 1.126/1.128 bore
308761-2	6 volts, 1.251/1.253 bore
308761-3	6 volts, 1.376/1.378 bore
308761-4	6 volts, 1.501/1.503 bore
308761-5	6 volts, 1.626/1.628 bore
308764-1	90 volts, 1.126/1.128 bore
308764-2	90 volts, 1.251/1.253 bore
308764-3	90 volts, 1.376/1.378 bore
308764-4	90 volts, 1.501/1.503 bore
308764-5	90 volts, 1.626/1.628 bore
308780	Brake Mounting Adapter (MB)
308793-1	Brake Cover (MB)
308820-2	Rotor Assembly (Sheave Clutch)
	Drive Sleeve (Sheave Clutch)
308821	1.125/1.126 bore
308821-1	1.250/1.251 bore
308821-2	1.375/1.376 bore
308823	Bearing Cap (Sheave Clutch)
308824-1	End Cap w/Accessories (Sheave Clutch)
308825	Rotor Assembly w/Accessories (SF Brg. & Fig.)
308826	Locknut (Sheave Clutch)

**MODEL 310**

Part No.	Description
FC-310010	Clutch, Primary Field, Pin Drive
FC-310012	Clutch-Coupling, Primary Field, Pin Drive
FC-310013	Clutch-Coupling, Primary Field, Spline Drive
FC-310016	Clutch-Brake-Coupling, PF, Pin, Inside Mounted
FC-310017	Clutch-Brake-Coupling, PF, Pin, Outside Mounted
FC-310050	Brake, Primary Field, Pin Drive, Inside Mounted
FC-310051	Brake, Primary Field, Pin Drive, Outside Mounted
FC-310054	Brake, Primary Field, Spline Drive, Inside Mounted
FC-310055	Brake, Primary Field, Spline Drive, Outside Mounted
FC-310062	Motor Brake, Primary Field, Pin Drive



7900 Durand Avenue, P.O. Box 0361,  
Sturtevant, Wisconsin, U.S.A. 53177  
Tel.: 262.554.7977 Fax: 262.554.7041  
Toll Free: 1.800.548.2169  
E-mail: sales@drivesourceusa.com  
Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

**MODEL 310**

Part No.	Description
FC-310140-0001	Sheave Clutch, SF, Brg., Spline Drive 6 volts, 1.375/1.376 bore 6 volts, 1.500/1.501 bore 6 volts, 1.625/1.626 bore 90 volts, 1.375/1.376 bore 90 volts, 1.500/1.501 bore 90 volts, 1.625/1.626 bore
FC-310140-0002	
FC-310140-0003	
FC-310140-0010	
FC-310140-0011	
FC-310140-0012	
FC-310150	Clutch, SF, Fig., Pin Drive, Inside Mounted Clutch, SF, Fig., Pin Drive, Outside Mounted Clutch, SF, Brg., Pin Drive Clutch-Coupling, SF, Fig., Pin Drive, IM
FC-310151	
FC-310152	
FC-310153	
FC-310154	Clutch-Coupling, SF, Fig., Pin Drive, OM Clutch-Coupling, SF, Brg., Pin Drive Clutch-Coupling, SF, Fig., Spline Drive, IM Clutch-Coupling, SF, Fig, Spline Drive, OM
FC-310155	
FC-310156	
FC-310157	
FC-310158	Clutch-Coupling, SF, Brg., Spline Drive Clutch-Brake-Coupling, SF, Brg., Pin, IM Clutch-Brake-Coupling, SF, Brg., Pin, OM
FC-310166	
FC-310167	
FC-310180-0001	Clutch-Brake Package, SF, Fig., Spline Drive 6 volts, 1.875/1.876 shaft diameter 90 volts, 1.875/1.876 shaft diameter
FC-310180-0004	
310371	Field Magnet Assembly (PF) 6 volts 90 volts
310374	
310380	Armature Plate Assembly (Pin Drive) Armature Plate Assembly (Spline Drive) Armature Hub (Pin Drive)
310383-4	
310450	
310461	
310471	Slip Ring & Hub Assembly Right Hand Left Hand
310481	Mounting Plate w/Accessories Inside mounted Outside mounted
310491	
310680	Armature Hub (Spline Drive) Armature Hub (Sheave Clutch Spline Drive)
310682	
310711-1	Field Magnet Assembly, Inside Mounted (SF Fig.) 6 volts 90 volts
310714-1	
310711-2	Field Magnet Assembly (Clutch) (SF Fig.) 6 volts 90 volts
310714-2	
310721-1	Field Magnet Assembly, Outside Mounted (SF Fig.) 6 volts 90 volts
310724-1	
310731-2	Field Magnet Assembly (Sheave Clutch) 6 volts 90 volts
310734-2	
310731-3	Field Magnet Assembly (SF Brg.) 6 volts 90 volts
310734-3	
310750-1	Rotor Hub (SF Fig.)
310752-1	Field Mounting Hub (SF Brg.)
310753	Rotor Hub (SF Brg.)

**MODEL 310**

Part No.	Description
310771	Bearing Mounted Rotor & Field Magnet Assembly 6 volts 90 volts
310774	
310781	Brake Mounting Adapter (MB) Brake Cover (MB) Rotor Assembly (SF Brg.)
310793-1	
310820-2	
310821	Drive Sleeve (Sheave Clutch) 1.375/1.376 bore 1.500/1.501 bore 1.625/1.626 bore
310821-1	
310821-2	
310823	Bearing Cap (Sheave Clutch) End Cap w/Accessories (Sheave Clutch) Rotor Assembly w/Accessories (Sheave Clutch) Rotor Assembly w/Accessories (SF Fig. C-C) Rotor Assembly w/Accessories (SF, Fig. C-B Pkg.) Locknut (Sheave Clutch)
310824-1	
310825	
310825-1	
310825-2	
310826	

**MODEL 312**

Part No.	Description
FC-312010	Clutch, Primary Field, Pin Drive Clutch-Coupling, Primary Field Pin Drive Clutch-Coupling, Primary Field, Spline Drive Clutch-Brake-Coupling, PF, Pin Dr., Inside Mounted
FC-312012	
FC-312013	
FC-312016	
FC-312017	Clutch-Brake-Coupling, PF, Pin Dr., Outside Mounted Clutch-Brake-Coupling, PF, Pin Dr., IM, 312/310 Clutch-Brake-Coupling, PF, Pin Dr., OM, 312/310 Brake, Primary Field, Pin Drive, Inside Mounted
FC-312024	
FC-312025	
FC-312050	Brake, Primary Field, Pin Drive, Outside Mounted Brake, Primary Field, Spline Drive, Inside Mounted Brake, Primary Field, Spline Drive, Outside Mounted Motor Brake, Primary Field, Pin Drive
FC-312051	
FC-312054	
FC-312055	
FC-312062	
FC-312152	Clutch, Stationary Field, Bearing, Pin Drive Clutch-Coupling, Stationary Field, Brg, Pin Drive Clutch-Coupling, Stationary Field, Brg, Spline Drive Clutch-Brake-Coupling, SF, Bearing, Pin, IM Clutch-Brake-Coupling, SF, Bearing, Pin, OM Field Magnet Assembly (PF) 6 volts 90 volts
FC-312155	
FC-312158	
FC-312166	
FC-312167	
312371	Field Magnet Assembly (PF) 6 volts 90 volts
312374	
312380	Armature Plate Assembly (Pin Drive) Armature Plate Assembly (Spline Drive) Armature Hub (Pin Drive) Armature Hub (MB)
312383-4	
312450	
312452	
312461	Slip Ring & Hub Assembly Right hand Left hand
312471	
312481	Mounting Plate w/Accessories Inside Mounted Outside Mounted
312491	
312481-2	Inside Mounting Plate w/Accessories Armature Hub (Spline Drive) Armature Hub (Spline Drive)
312680	
312680-6	
312731	Field Magnet Assembly (SF Brg.) 6 volts 90 volts
312734	
312751	Rotor Hub, 1.501/1.503 bore (SF Brg.)



7900 Durand Avenue, P.O. Box 0361,  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

**MODEL 312**

Part No.	Description
312761	Bearing Mounted Rotor & Field Magnet Assembly 6 volts
312764	
312781	Brake Mounting Adapter (MB)
312793-1	Brake Cover (MB)
312825	Rotor Assembly w/Accessories (SF Brg.)

**MODEL 315**

Part No.	Description
FC-315010	Clutch, Primary Field, Pin Drive
FC-315012	Clutch-Coupling, Primary Field, Pin Drive
FC-315013	Clutch-Coupling, Primary Field, Spline Drive
FC-315016	Clutch-Brake-Coupling, PF, Pin, Inside Mounted
FC-315024	Clutch-Brake-Coupling, PF, Pin, IM, 315/312
FC-315025	Clutch-Brake-Coupling, PF, Pin, OM, 315/312
FC-315050	Brake, Primary Field, Pin Drive, Inside Mounted
FC-315054	Brake, Primary Field, Spline Drive, Inside Mounted
FC-315150	Clutch, SF, Flange, Pin Drive
FC-315153	Clutch-Coupling, SF, Flange, Pin Drive
FC-315156	Clutch-Coupling, SF, Flange, Spline Drive
FC-315162	Clutch-Brake-Coupling, SF, Flg., Pin Drive
FC-315172	Clutch-Brake-Coupling, SF, Flg., Spline Drive
FC-315180-0001	Clutch-Brake Package, SF, Flange, Spline Drive 6 volts, 2.375/2.276 shaft diameter
FC-315180-0004	

315371	Field Magnet Assembly (PF) 6 volts
315374	
315380	Armature Plate Assembly (Pin Drive)
315382-2	Armature Plate Assembly (Spline Drive)
315382-4	Armature Plate Assembly (Spline Drive)
315450	Armature Hub (Pin Drive)
315461	Slip Ring & Hub Assembly Right Hand
315471	
315481	Inside Mounting Plate w/Assessories
315711-3	Field Magnet Assembly w/Accessories (SF Flg.) 6 volts
315714-3	
315711-6	Field Magnet Assembly (Clutch) (SF Flg.) 6 volts
315714-6	
315750-3	Rotor Hub (SF Flg.)
315826-3	Rotor Assembly w/Accessories (SF Flg.)

**326000 NUMBERS**

Part No.	Description
326008	Drive Pin (308, 310, 312, 315)
326015	Split Taper Bushing (308)
326019	Brush Holder Assembly (305, 308, 310, 312, 315)
326023	Brush (305, 308, 310, 312, 315)
326039	Split Taper Bushing (310, 312)
326046	Split Taper Bushing (312, 315)
326058	Split Taper Bushing (305, 306)
326075	Adjustable Gap Accessories (308, 310, 312)

**326000 NUMBERS**

Part No.	Description
326076	Clutch Magnet Accessories (308)
326078	Brake Magnet Accessories (308, 310, 312, 315)
326136	Clutch Magnet Accessories (310)
326138	Clutch Magnet Accessories (312)
326139	Adjustable Gap Accessories (312, 315)
326141	Clutch Magnet Accessories (315)
326143	Brake Magnet Accessories (305)
326144	Clutch Magnet Accessories (305)
326146	Magnet Accessories (304, 305, 310, 315)
326147	Magnet Accessories (303)
326149	Spring (308, 310, 312, 315)
326167	Split Taper Bushing (310)
326232	Split Taper Bushing (315)
326240	Zero Air Gap Spring Accessory (308-315)
326241	Split Taper Bushing (312, 315)
326244	Split Taper Bushing (306)
326246-1	Field Support Arm w/accessories (306, 308, 312) Drive Key (310) 1.500 to 1.625 bore
326247	Zero Air Gap Kit, Vertical Mtg. (305-315)
326248	Drive Key (308) 1.125 to 1.250 bore
326267	1.375 bore
326268	Adjustable Gap Spring (306, 308)
326273	Adjustable Gap Spring (310)
326274	Adjustable Gap Spring (312, 315)
326275	Drag Spring (306, 308)
326276	Drag Spring (310)
326277	Drag Spring (312, 315)
326278	Terminal Insulating Kit (308-315)
326297	Terminal Insulating Kit (305)
326298	Drive Key (310) 1.375 bore
326299	Zero Air Gap Kit (305)
326303	Collar (furnished with .500/.501 bore only) (303)
326304-1	Conduit Box Assembly (304, 305, 308)
326342	Conduit Box Assembly (303)
326342-1	Adjustable Gap Tool
326360	Adjustable Gap Accessory Package (305, 306)
326433	Collar (furnished with .750 & .875 bores only) (304)
326519-1	Motor Brake Accessories (308)
326532	Motor Brake Accessories (310)
326533	Motor Brake Accessories (312)
326534	Bearing Spacer (304)
326543	Motor Brake Accessories (305)
326544	Vertical Spring Kit (308, 310)
326547	Vertical Spring Kit (312, 315)
326548	Support Arm (310)
326549	Torque Arm Assembly (304)
326556-0001	Conduit Box Assembly (310, 315)
326560	

**DY NUMBERS**

Part No.	Description
DY 18	Lockwasher (308, 310)
DY 65	Machine Screw (303)
DY 106	Lockwasher (305)
DY 111	Pipe Plug (315)



7900 Durand Avenue, P.O. Box 0361,  
 Sturtevant, Wisconsin, U.S.A. 53177  
 Tel.: 262.554.7977 Fax: 262.554.7041  
 Toll Free: 1.800.548.2169  
 E-mail: sales@drivesourceusa.com  
 Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

**DY NUMBERS**

Part No.	Description
DY 125	Socket Head Cap Screw (308)
DY 187	Hex Head Cap Screw (310, 315)
DY 209	Hex Head Cap Screw (305)
DY 211	Hex Head Cap Screw (308, 310)
DY 288	Key (305)
DY 270	Key (310)
DY 327	Socket Head Cap Screw (304)
DY 340	Cotter Pin (310, 315)
DY 369	Socket Head Cap Screw (304)
DY 455	Retaining Ring (internal) (304)
DY 456	Retaining Ring (internal) (305)
DY 478	Retaining Ring (external) (304)
DY 566	Key (308)
DY 646	Pipe Plug (310)
DY 743	Key (304)
DY 856	Retaining Ring (internal) (308, 310)
DY 1102	Retaining Ring (external) (304)
DY 1138	Hex Head Cap Screw (310)
DY 1242	Hex Head Cap Screw (308)
DY 1273	Hex Head Cap Screw (308)
DY 1647	Grease Fitting (310, 315)
DY 1870	Key (315)
DY 1941	Key (315)
DY 3437	Key (315)
DY 4366	Lockwasher (304, 310)
DY 4385	Round Head Machine Screw (304)
DY 4472	Lockwasher (304)
DY 4498	Lockwasher (308)
DY 4556	Key (304)
DY 4768	Key (303)
DY 4771	Lockwasher (308, 310, 315)
DY 4823	Lockwasher (303)
DY 4961	Key (305)
DY 5385	Retaining Ring (external) (305)
DY 6022	Key (310)
DY 6218	Retaining Ring (internal) (315)
DY 6659	Key (308)
DY 6666	Key (304)
DY 6953	Bearing (308)
DY 7335	Bearing (310)
DY 7959	Bearing (305)
DY 7981	Set Screw, Cone Point (303)
DY 9265	Bearing (306)
DY 9269	Bearing (315)
DY 9436	Bearing (303)
DY 9486	Key (308)
DY 10051	Flat Head Machine Screw (308)
DY 10228	Bearing (308)
DY 10269	Key (310)
DY 10278	Socket Head Cap Screw (303)
DY 10402	Hex Nut (304)
DY 10572	Retaining Ring (external) (302, 308, 310, 312, 315)
DY 10573	Retaining Ring (external) (303)
DY 10657	Retaining Ring (external) (308)
DY 10859	Retaining Ring (external) (306)

**DY NUMBERS**

Part No.	Description
DY 10860	Retaining Ring (internal) (304, 306)
DY 10861	Bearing (306)
DY 10941	Retaining Ring (external) (310)
DY 10942	Retaining Ring (external) (308, 310)
DY 10943	Bearing (308, 310)
DY 10944	Bearing (310)
DY 11036	Bearing (304)
DY 11157	Retaining Ring (internal) (306)
DY 11158	Retaining Ring (external) (306)
DY 11159	Key (305)
DY 11268	Retaining Ring (internal) (308)
DY 11269	Retaining Ring (external) (308)
DY 11270	Retaining Ring (external) (308)
DY 11271	Retaining Ring (external) (308)
DY 11272	Bearing (308)
DY 11445	Bearing (304)
DY 11500	Bearing (312)
DY 11538	Retaining Ring (internal) (312)
DY 11539	Retaining Ring (external) (312)
DY 11540	Retaining Ring (internal) (310)
DY 11574	Retaining Ring (internal) (310)
DY 11735	Pan Head Sems (304, 305, 308)
DY 11980	Retaining Ring (external) (305)
DY 12712	Acorn Nut (303)
DY 12851	Key (303)
DY 12870	Retaining Ring (internal) (303)
DY 12878	Bearing (305)
DY 13191	Roll Pin (310)
DY 13213	Roll Pin (305)
DY 13720	Round Head Machine Screw (308)
DY 14571	Socket Head Cap Screw (304)
DY 14601	Hex Head Cap Screw (310)
DY 14764	Bearing (310)
DY 15269	Retaining Ring (external) (310)
DY 15270	Retaining Ring (303, 304)
DY 15393	Thrust Washer (303, 304)
DY 15394	.750 I.D.
DY 15399	.625 I.D.
DY 15400	.500 I.D.

**650000 NUMBERS**

Part No.	Description
650004	Bearing Spacer (304)
650012	Housing (308)
650013	End Cap (Clutch) (308)
650014	End Cap (Brake) (308)
650015	Shaft (Brake) (308)
650016	Shaft (Clutch) (308)
650017	Brush Holder Bracket (308)
650018	Spacer (308)
650019	Bearing Shield (304)
650027	Bearing Shield (308)
650045	Stud (303)
650059-1	Housing End Bell (303)



7900 Durand Avenue, P.O. Box 0361,  
Sturtevant, Wisconsin, U.S.A. 53177  
Tel.: 262.554.7977 Fax: 262.554.7041  
Toll Free: 1.800.548.2169  
E-mail: sales@drivesourceusa.com  
Website: www.drivesourceusa.com

Manufacturers of Dynamatic® and Adjusto Spede® Products

#### 650000 NUMBERS

Part No.	Description
650060-1	Housing End Bell (303)
650074	Housing (304)
650075	C-Face End Cap (304)
650095	Cover (304)
650102	Shaft (Clutch), 5/8" diameter (304)
650110	Housing (305)
650111	C-Faced End Cap (305)
650113	Cover (305)
650116	Shaft (Clutch) (305) Shaft (Brake) (305)
650117-0000	For Pin Drive FC-305181 & 305191
650117-0001	For Spline Drive FC-305180 & 305190
650118	Bearing Spacer (305)
650120	Bearing Shield (305)
650128	C-Face End Cap & Shaft Assembly (305)
650145	Shaft (Clutch), 7/8" diameter (304)
650146	C-Face End Cap & Shaft Assembly, 5/8" dia. (304)
650147	C-Face End Cap & Shaft Assembly, 7/8" dia. (304)
650185-0002	Spring (303)
650188	Cover (308)
650203	Shaft (Clutch), 3/4" dia. (5/8" rotor shaft bore) (304)
650204	Shaft (Clutch), 3/4" dia. (7/8" rotor shaft bore) (304)
650205	C-Face End Cap & Shaft Assembly, 3/4" dia. (304)
650287-0001	End Bracket (Clutch) (310)
650287-0002	End Bracket (Brake) (310)
650288-0001	End Bracket (Clutch) (315)
650288-0002	End Bracket (Brake) (315)
650289	Shaft (Brake) (310)
650290	Shaft (Clutch) (310)
650294	Cover (310)
650301	Shaft (Clutch) (315)
650302	Shaft (Brake) (315)
650303	Cover (315)
650311	Field Attachment Clip (304)
650319	Shaft & Bearing Assembly (303)
650322-1	Shaft, Bearing & Hub Assembly (303)
650323	Shaft (Brake), 5/8" diameter (304)
650324	Shaft (Brake), 7/8" diameter (304)
650325	Shaft (Brake), 3/4" diameter (304)

#### MISCELLANEOUS NUMBERS

Part No.	Description
18973	Spring (310, 315)
32304	Housing (310)
32317	Housing (315)
42824	Lifting Lug (308, 310, 315)

*Application Engineering × Quality Products × Total Solution*